1	Jared J. Braithwaite (CA State Bar No. 288642)		
2	jbraithwaite@mabr.com MASCHOFF BRENNAN		
3	100 Spectrum Center Drive, Suite 1200		
4	Irvine, California 92618		
5	Telephone: (949) 202-1900 Facsimile: (949) 453-1104		
6	Attorney for Defendant Topcon Positioning Systems, Inc.		
7	Attorney for Defendant Topeon Tositioning Systems, me.		
8			
9			
10	UNITED STATES DISTRICT COURT		
11	NORTHERN DISTRICT OF CALIFORNIA		
12	Hydro Net LLC,		
13	Plaintiff;	Case No. 5:20-cv-06116-LHK	
14	V.	Second Joint Stipulated Motion to	
15	Topcon Positioning Systems, Inc.,	Extend Time for Defendant to Respond to Plaintiff's Complaint	
16 17	Defendant.		
18	The parties stipulate and jointly move to extend the time for Defendant Topcon		
19		erwise respond to Plaintiff Hydro Net LLC's	
20	Amended Complaint for an additional 30 of	•	
21	November 25, 2020.	, , , , , , , , , , , , , , , , , , , ,	
22	RECITALS		
23	1. On August 31, 2020, Plaintiff filed a Complaint in this court against the		
24	Defendant.		
25	 The Complaint was served on Defendant on September 4, 2020. 		
26	3. Plaintiff filed an Amended Complaint on September 21, 2020.		
27	4. The parties previously agreed and jointly moved to extend Defendant's time to		
2.8	file a response to the Amended Complaint until October 26, 2020		

1	5. New counsel for Defendant filed a notice of appearance on October 20, 2020, an		
2	former counsel intends to withdraw as counsel.		
3	6. The parties agree that a 30-day extension for Defendant to respond to the		
4	Amended Complaint is appropriate to allow Defendant's new counsel to review		
5	the allegations of the Amended Complaint and to respond to it.		
6	7. No party will be prejudiced by this brief extension nor will the extension impact		
7	the Court's case management conference set for January 6, 2021.		
8	STIPULATED MOTION		
9	Based on the foregoing, the parties jointly move to extend the time for Defendant		
10	Topcon Positioning Systems, Inc. to answer or otherwise respond to Plaintiff Hydro Net		
11	LLC's Amended Complaint for an additional 30 days, through and including		
12	Novem	nber 25, 2020.	
13			
14	Dated:	October 23, 2020	Respectfully submitted,
15	M	ASCHOFF BRENNAN	Insight PLC
16	By: <u>/s/</u>	Jared J. Braithwaite	By: /s/ Steven W. Ritcheson
17	Ja	red J. Braithwaite	Steven W. Ritcheson
18	At	ttorney for Defendant	Attorney for Plaintiff
19			(signed with permission by filing attorney)
20			
21			
22			
23			
24			
25			
26			
27			
28			
ll ll			

1			
2			
3			
4			
5			
6	UNITED STATES DISTRICT COURT		
7	NORTHERN DISTRICT OF CALIFORNIA		
8	Hydro Net LLC,		
9	Plaintiff;	Case No. 5:20-cv-06116-LHK	
10	v.	[Proposed] Order Granting Second Joint Stipulated Motion to	
11 12	Topcon Positioning Systems, Inc.,	Extend Time for Defendant to Respond to Plaintiff's Complaint	
13	Defendant.	Respond to Fiantiff's Complaint	
14	Pursuant to the parties' stipulation and motion to extend the time for Defendant		
15	Topcon Positioning Systems, Inc. to answer or otherwise respond to Plaintiff's Amended		
16	Complaint, IT IS HEREBY ORDERED that Topcon Positioning Systems, Inc.'s		
17	deadline to answer or otherwise respond to Plaintiff Hydro Net LLC's Amended		
18	Complaint is extended by 30 days, through and including November 25, 2020.		
1920	Dated: October 26 , 2020 B	y: Lucy H. Koh	
21	,,,	Honora de Judge Lucy H. Koh	
22		United States District Judge	
23			
24			
25			
26			
27			
28			